

Test Report

No.XMSL1605006061FW

Date: May 30, 2016

Page 1 of 3

YIXIN PLASTIC PRODUCTS CO.,LTD QIANHONG INDUSTRIAL DISTRIC, NEIKENG TOWN, JINJIANG, FUJIAN, CHINA

The following sample(a) was/were submitted and identified on behalf of the client as:

Sample Description One sample of outsole in white.

Color WHITE

EVA Composition

Sample Receiving Date May 24, 2016

Test Performing Period May 24, 2016 - May 30, 2016

Test Performed Selected tests as requested by applicant

Test Result(s) Please refer to the next page(s).

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch

Daywin Wu

Account Executive





Test Report

No.XMSL1605006061FW

Date: May 30, 2016

Page 2 of 3

Test Report - Picture Page

Sample





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-o-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the fire of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) \$2007.443,



Test Report No.XMSL1605006061FW Date: May 30, 2016 Page 3 of 3

Test Result:

DIN Abrasion Resistance

(EN 12770: 1999)

Scope : To assess the abrasion of elastomers subjected to wear by abrasion.

Volume Loss (mm³) 206

Remark: Density =0.26 g/cm³.

*** End of Report ***

